

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1. (Canceled)
2. (Canceled)
3. (Original) The method of claim 2, wherein the diagnostic computer stores the performance data as a record in a database.
4. (Canceled)
5. (Currently Amended) The method of claim 3, wherein the diagnostic program displays the performance data from the customer computer being diagnosed and average performance data determined from the database at the server to provide information to diagnose the customer computer.
6. (Canceled)
7. (Previously Presented) The method of claim 21, wherein providing the program comprises transmitting the program over the network to diagnose the customer computer.
8. (Currently Amended) The method of claim 21, wherein the program causes the customer computer to further perform[[:]]:
  - detecting a presence of a condition occurring as a result of downloading the at least one object from the server;
  - building an electronic message addressed to the diagnostic computer including information on the detected condition; and
  - transmitting the electronic message to the diagnostic computer over the network.

9. (Previously Presented) The method of claim 21, wherein the performance data includes trace route data indicating the route packets comprising the object travel through the network when transmitted from the server to the customer computer.

10. (Previously Presented) The method of claim 21, wherein the diagnostic program comprises an applet that executes within an Internet web browser program executing on the customer computer.

11. (Canceled)

12. (Canceled)

13. (Original) The system of claim 12, further comprising means for storing the performance data as a record in a database.

14. (Currently Amended) The system of claim 13, wherein the program displays ~~the performance data~~ at the customer computer being diagnosed both the determined performance data for the customer computer and average performance data determined from the database to provide information to diagnose the customer computer.

15. (Currently Amended) The system of claim 13, further comprising means for displaying the performance data from the customer computer being diagnosed and average performance data determined from the database to provide information to diagnose the customer computer.

16. (Canceled)

17. (Previously Presented) The system of claim 22, wherein the program is transmitted over the network to diagnose the customer computer.

18. (Previously Presented) The system of claim 22, wherein the program causes the customer computer to further perform:

detecting a presence of a condition occurring as a result of downloading the at least one object from the server;

building an electronic message addressed to the diagnostic computer including information on the detected condition;

transmitting the electronic message to the diagnostic computer over the network.

19. (Previously Presented) The system of claim 22, wherein the performance data includes trace route data indicating the route packets comprising the object travel through the network when transmitted from the server to the customer computer.

20. (Previously Presented) The system of claim 22, wherein the diagnostic program comprises an applet that executes within an Internet web browser program executing on the customer computer.

21. (Currently Amended) A method for diagnosing a customer computer over a network, comprising:

initiating a customer service session to provide technical support of the customer computer;

transmitting a program to execute on the customer computer, wherein the program causes the customer computer to perform:

(i) downloading at least one object from a server to the customer computer over the network;

(ii) determining performance data comprising a network transmission time to download the object from the server to the customer computer over the network to diagnose performance problems with the customer computer;

(iii) displaying ~~the determined performance data~~ at the customer computer being diagnosed both the determined performance data for the customer computer and average performance data to provide information to diagnose the customer computer, wherein the

average performance data includes network performance data for other computers in the network;

(iv) transmitting the determined performance data to ~~[[the]]~~ a diagnostic system over the network; and  
using the performance data transmitted to the diagnostic system to provide technical support for the customer computer.

22. (Currently Amended) A computer system for diagnosing a customer computer over a network, wherein a server is coupled to the network, comprising:

means for initiating a customer service session to provide technical support of the customer computer;

means for transmitting a program to execute on the customer computer, wherein the program causes the customer computer to perform:

(i) downloading at least one object from the server to the customer computer over the network;

(ii) determining performance data comprising a network transmission time to download the object from the server to the customer computer over the network to diagnose performance problems with the customer computer;

(iii) transmitting the determined performance data over the network; and

(iv) displaying ~~the determined performance data~~ at the customer computer being diagnosed both the determined performance data for the customer computer and average performance data to provide information to diagnose the customer computer, wherein the average performance data includes network performance data for other computers in the network;  
means for receiving the performance data transmitted from the customer computer; and  
means for using the received performance data transmitted ~~to the diagnostic system~~ to provide technical support for the customer computer.

23. (Currently Amended) An article of manufacture for use in diagnosing a customer computer over a network, wherein a server is coupled to the network, and wherein the article of

manufacture comprises computer ~~usable media~~ readable medium including at least one computer program embedded therein that causes a diagnostic system to perform:

initiating a customer service session to provide technical support of the customer computer;

transmitting a diagnostic program to execute on the computer, wherein the program causes the customer computer to perform:

(i) downloading at least one object from the server to the customer computer over the network;

(ii) determining performance data comprising a network transmission time to download the object from the server to the customer computer over the network to diagnose performance problems with the customer computer;

(iii) transmitting the determined performance data to the diagnostic system over the network; and

(iv) displaying ~~the determined performance data~~ at the customer computer being diagnosed both the determined performance data for the customer computer and average performance data to provide information to diagnose the customer computer, wherein the average performance data includes network performance data for other computers in the network; and

using the performance data transmitted to the diagnostic system to provide technical support for the customer computer.

24. (Canceled)

25. (Previously Presented) The article of manufacture of claim 24, wherein the diagnostic computer stores the performance data as a record in a database.

26. (Currently Amended) The article of manufacture of claim 25, wherein the diagnostic program displays the performance data from the customer computer being diagnosed and average performance data determined from the database at the server to provide information to diagnose the customer computer.

27. (Previously Presented) The article of manufacture of claim 23, wherein providing the program comprises transmitting the program over the network to diagnose the customer computer.

28. (Previously Presented) The article of manufacture of claim 23, wherein the program causes the customer computer to further perform;  
detecting a presence of a condition occurring as a result of downloading the at least one object from the server;  
building an electronic message addressed to the diagnostic computer including information on the detected condition; and  
transmitting the electronic message to the diagnostic computer over the network.

29. (Previously Presented) The article of manufacture of claim 23, wherein the performance data includes trace route data indicating the route packets comprising the object travel through the network when transmitted from the server to the computer.

30. (Previously Presented) The article of manufacture of claim 23, wherein the diagnostic program comprises an applet that executes within an Internet web browser program executing on the customer computer.

31. (New) The method of claim 21, wherein the average performance data is provided from information in a database having network performance data for multiple computers in the network.

32. (New) The method of claim 31, wherein the network performance data is gathered from the computers in the network by transmitting the program to the computers in the network to cause the computers to transmit their determined performance data, wherein the determined performance data from the computers is stored in the database.

33. (New) The system of claim 22, wherein the average performance data is provided from information in a database having network performance data for multiple computers in the network.

34. (New) The system of claim 33, wherein the network performance data is gathered from the computers in the network by transmitting the program to the computers in the network to cause the computers to transmit their determined performance data, wherein the determined performance data from the computers is stored in the database.

35. (New) The article of manufacture of claim 23, wherein the average performance data is provided from information in a database having network performance data for multiple computers in the network.

36. (New) The article of manufacture of claim 35, wherein the network performance data is gathered from the computers in the network by transmitting the program to the computers in the network to cause the computers to transmit their determined performance data, wherein the determined performance data from the computers is stored in the database.